

AUWELD MIG 350V2 Digital MIG/MMA Welding Machine 3PH /415V

Description

The *MIG 350V2 Digital MIG/MMA* offers more than you would expect from a welder this size. It packs the full punch of a heavyweight professional that you can take to the most demanding job sites.

Specification

| Model | Diç | 350V2 gital /MMA |
|--|---------------------------|------------------------|
| Welding Process | (GMAW) | (SMAW) |
| | Three | Phase |
| | AC 380V±15% (50/60 Hz) | |
| Input Power Voltage (V) Rated Input Power Capacity (kVA) | 17.2 | 15.1 |
| Rated Input Current (A) | 26.1 | 22.9 |
| Rated Output Voltage (V) | 34 | 34 |
| Output Current Voltage (A) | 20 – 400 250ms- | 20 – 350 |
| Spot Welding Time | 5s | |

| Model | MIG 350V2 Digital MIG/MMA | |
|--|--|--|
| Spot Welding Interval No-Load Voltage (V) | 4s 66 | |
| Duty Cycle (%) | 60 | |
| No-Load Consumption (W) | 60 | |
| Efficiency (%) | 85 | |
| Power Factor | 0.93 | |
| Protection Class | IP21S | |
| Insulation Class | F | |
| Weight (kg) | 30 | |
| Dimension (mm) | 515 x 280 x 435 | |
| Industrial Application | Shipyard, Oil & Gas, Automobile, Metal Fabrication | |

Features

- Microprocessor Operation Panel; which brings much more simple & precise control and performance.
- Function a stable, smooth arc; with better penetration on thicker material.
- Unique wind tunnel design; prevents abrasive dust & particles from damaging internal components, greatly improved the reliability of the equipment.
- Independent unit design; which is much easier for service and maintenance.

Include Items

- 1 pc QTB350A MIG Torch with 3m Cable Wire Feeder with 10m connecting cable
- 1 pc Welding Cable with Earth Clamp (2m)
- 1 pc Trolley